


SPECIFICATION FOR APPROVAL

CUSTOMER:			DATE:		
PART NO: LCB3216-101Y-N			DWG.NO: TE9904261		
CUSTOMER PART NO:			CUST.DWG.NO:		
(1) DIMENSIONS (UNIT: mm) 			A	3.2 ± 0.2	m/m
			B	1.6 ± 0.2	m/m
			C	1.1 ± 0.2	m/m
			D	0.5 ± 0.3	m/m
			E		m/m
			F		m/m
			G		m/m
			H		m/m
			I		m/m
			J		m/m
(2) ELECTRICAL REQUIREMENTS					
Z (Ω)	100 ± 25%	TEST FREQ	100MHz / 100mV		
RDC (Ω)	0.03 (MAX)	TEST FREQ			
IDC (mA)	3000 (MAX)	TEST FREQ			
TEST INSTRUMENTS HP 4338A MILLIOHMMETER HP 4291B RF IMPEDANCE / MATERIAL ANALYZER			APPROVED BY		
			吳載敏		
			CHECKED BY		
			張明德		
			DRAWN BY		
			黃慧診		

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :					DATE :				
PART NO: LCB3216-101Y-N					DWG.NO: TE9904261				
CUSTOMER PART NO :					CUST.DWG.NO :				
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)		DIMENSION (UNIT : mm)				
FREQ	100MHz /100mV				A	B	C	D	
SPEC	100 ± 25%	0.03 (MAX)	3000 (MAX)		3.2 ± 0.2	1.6 ± 0.2	1.1 ± 0.2	0.5 ± 0.3	
1	93.2	0.023	OK		3.25	1.62	1.12	0.50	
2	98.4	0.022	OK		3.21	1.64	1.10	0.52	
3	92.6	0.024	OK		3.22	1.62	1.09	0.50	
4	100.1	0.025	OK		3.21	1.61	1.09	0.51	
5	95.2	0.022	OK		3.24	1.62	1.12	0.55	
6	91.8	0.022	OK		3.22	1.63	1.10	0.52	
7	100.3	0.021	OK		3.21	1.61	1.09	0.50	
8	100.4	0.024	OK		3.25	1.62	1.10	0.51	
9	85.7	0.025	OK		3.21	1.63	1.09	0.50	
10	101.1	0.021	OK		3.22	1.62	1.10	0.51	
\bar{X}	95.88	0.023			3.224	1.622	1.1	0.512	
R	15.4	0.004			0.04	0.03	0.03	0.05	
						APPROVED BY 吳載敏			
						CHECKED BY 張明德			
						DRAWN BY 黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB3216-101Y-N

