


SPECIFICATION FOR APPROVAL

CUSTOMER :				DATE :					
PART NO : LCB3216-301Y-N				DWG.NO : TE0198131					
CUSTOMER PART NO :				CUST.DWG.NO :					
(1) DIMENSIONS (UNIT: mm) 				A	3.2 ± 0.2	m/m			
				B	1.6 ± 0.2	m/m			
				C	1.1 ± 0.2	m/m			
				D	0.5 ± 0.3	m/m			
				E				m/m	
				F				m/m	
				G				m/m	
				H				m/m	
				I				m/m	
				J				m/m	
(2)ELECTRICAL REQUIREMENTS				(3)REMARK:					
Z (Ω)	$300 \pm 25\%$	TEST FREQ	100MHz						
RDC (Ω)	0.1 (MAX)	TEST FREQ							
IDC (mA)	2500 (MAX)	TEST FREQ							
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291A RF IMPEDANCE/MATERIAL ANALYZER				APPROVED BY <div style="text-align: right;">吳載敏</div>					
				CHECKED BY <div style="text-align: right;">張明德</div>					
				DRAWN BY <div style="text-align: right;">黃慧診</div>					

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO : LCB3216-301Y-N				DWG.NO : TE0198131					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
				A	B	C	D		
FREQ	100MHz								
SPEC	300 ± 25%	0.1 (MAX)	2500 (MAX)	3.2 ± 0.2	1.6 ± 0.2	1.1 ± 0.2	0.5 ± 0.3		
1	310.3	0.081	OK	3.23	1.61	1.09	0.49		
2	307.5	0.081	OK	3.23	1.63	1.10	0.51		
3	303.5	0.085	OK	3.21	1.62	1.10	0.50		
4	293.7	0.092	OK	3.22	1.62	1.11	0.49		
5	296.4	0.080	OK	3.21	1.59	1.11	0.48		
6	306.7	0.075	OK	3.18	1.6	1.12	0.50		
7	300.8	0.072	OK	3.19	1.61	1.11	0.49		
8	300.7	0.077	OK	3.26	1.62	1.12	0.49		
9	299.6	0.089	OK	3.24	1.62	1.09	0.52		
10	308.9	0.089	OK	3.23	1.62	1.11	0.48		
\bar{X}	302.8	0.082		3.22	1.61	1.11	0.50		
R	16.6	0.02		0.08	0.04	0.03	0.04		
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB3216-301Y-N

