


19999 COUNTS 4 1/2

DESKTOP DIGITAL MULTIMETER & BLUETOOTH SPEAKER



Bluetooth connection 

ANENG AN-8885

Multi-function

ONE MULTIPURPOSE

Automatic range multi-function
digital multimeter



Voltage



Current



Resistance



Capacitance



Diode



Buzzer



Frequency



Music



Bluetooth



Temperature



Time



Alarm clock

Bluetooth speaker

HIGH-QUALITY SOUND SUBWOOFER

Strong bass sound field, listening
to the best sound quality



Bluetooth



Music



Double speaker

360° SURROUND SOUND QUALITY

Double speakers, bass shock
Feel different effects



Alarm clock

NOT JUST MULTIMETER ALARM CLOCK

Not only multimeters & speakers
But also alarm clocks



Time



Alarm clock



Music

ADD MUSIC TO YOUR WORK

During measurement, it can connect bluetooth to play music, which can add fun to your work



True RMS

19999 DISPLAY HIGH PRECISION

Compared with a six and a half digit digital multimeter, the accuracy is very high



True RMS



Fast



Precise

Ac voltage contrast



Dc voltage contrast



Information

TECHNICAL PARAMETER PANEL DISPLAY

Introduction and display



≡ Front view

Symbol	Function	Symbol	Function
①	Ac/Dc voltage (V)	②	Ac/Dc voltage (mV)
③	Resistance	④	Capacitance
⑤	Buzzer/Diode	⑥	Ac/Dc current (A mA)
⑦	Keeping data	⑧	Maximum/Minimum
⑨	Relative value measurement	⑩	Adjust sound volume/Range
⑪	Secondary VA display screen	⑫	Main VA display screen
⑬	Multifunction socket	⑭	General jack
⑮	mA current socket	⑯	A current jack
⑰	Press this key, through the knob can choose the range of the multimeter or control the audio playback volume		



☰ Rear view

Symbol	Function	Symbol	Function
①	Battery compartments	②	On/Off button
③	Setting key *	④	Increase *
⑤	Decrease *	⑥	Switch °C/°F
⑦	Charging power interface (maximum input DC5V 2A)		

*: Please refer to the instruction manual for details.


Technical parameter

Function	Range	Precision
Dc voltage (V)	1.9999V~1000.0V	$\pm(0.05\%+3)$
Dc voltage (mV)	19.999mV~199.99mV	$\pm(0.05\%+3)$
Ac voltage (V)	1.9999V~750.0V	$\pm(0.3\%+3)$
Ac voltage (mV)	19.999mV~199.99mV	$\pm(0.3\%+3)$
Dc current (A)	1.9999A~19.999A	$\pm(0.5\%+3)$
Dc current (mA)	19.999mA~199.99mA	$\pm(0.5\%+3)$
Ac current (A)	1.9999A~19.999A	$\pm(0.8\%+3)$
Ac current (mA)	19.999mA~199.99mA	$\pm(0.8\%+3)$
Resistance	199.99 Ω ~199.99M Ω	$\pm(0.5\%+3)\sim\pm(5.0\%+5)$
Capacitance	9.999nF~9.999mF	$\pm(5.0\%+20)\sim\pm(5.0\%+5)$
Frequency	99.99Hz~6.000MHz	$\pm(0.1\%+2)$
Diode	✓	
Buzzer	✓	
Screen (LCD)	19999	
Range	Automatic/manual	
Sampling rate	3 times per second	
Data Hold	✓	
Screen backlight	✓	
Low battery prompt	✓	
Automatic standby	✓	

Detail

DETAILS DECIDE THE QUALITY

Display and description



VA HD big screen

19999
Maximum display

4 1/2
High precision



Double speaker

Bluetooth

Speaker



USE A MUST-SEE



1. To replace the battery Disconnect all measurements, open the battery back cover, replace the battery, and connect the charging cable to activate the new battery.
2. There is a lithium battery protection circuit inside. After replacing the battery, you need to re-plug the USB battery to activate the new battery.
3. Please disconnect all measuring cables before replacing the battery, otherwise there is a possibility of endangering personal safety.

Parameter

BASIC INFORMATION

Large LCD screen displays
clear VA screen



135mm / 5.31in



PRODUCT INFORMATION

• Brand ANENG	• Name Digital Multimeter & Bluetooth Speaker	• Model AN-888S
• Color Black red	• Battery 18650 lithium battery * 2 (optional)	• Weight 895g
• Connection Bluetooth	• Size 200*135*105mm	• Material ABS+TPE

• Accessories

Multimeter, test leads, charging cable, Combination line
18650 lithium battery*2(optional)

• Characteristics

LCD display, adjustable backlight brightness, clear reading with, alarm clock, bluetooth audio, ambient temperature display function