

# MULTIMETER

M107-Creative Multimeter

# MINI multimeter

There is no need to manually select, the hardware is controlled by the program, eliminating the need for knob selection, the measurement process is more convenient, and the test efficiency is improved





**MORE ACCURATE MEASUREMENT  
KNOW WHAT YOU NEED**

---





AC/DC  
voltage



AC /DC  
current

NCV

Non-contact  
induced voltage



Resistance



On and  
off beep



Flashlight  
Backlit display



Zero fire wire  
detection



Automatic  
shut-down



## Innovative storage design

Breaking the traditional multi-meter surface design, it adopts a double-pair buckle design, one side is the test meter body, and the other side is the storage space for the test pen





## Back bracket

The back telescopic bracket design can effectively support the multimeter. It can be tilted on the table during measurement, which is more convenient to read the data.



# Panel introduction

Mini body with full function





## Functional parameters (model: M107)

Function	Range	Resolution	Accuracy
DC voltage	0~500V	0~1V	$\pm(1.2\%+5)$
AC voltage	0~500V	0~1V	$\pm(1.5\%+8)$
DC current	0~2A	0~1mA	$\pm(2.5\%+8)$
AC current	0~2A	0~1mA	$\pm(3.0\%+8)$
Resistance	0~20M $\Omega$	0.1 $\Omega$ ~0.01M $\Omega$	$\pm(0.8\%+3)$
On and off beeping	√	NCV detection	√
Battery model	AAA*2	Zero fire wire detection	√
Automatic shut-down	√ 15 minutes of inactivity	Automatic Identification	√
Data retention	√	Backlight bright screen	√
Product Size	120.3* 57.3 * 37.4mm / 4.73*2.25*1.47in		



57.3mm/2.25in



57.3mm/2.25in



120.3mm/4.73in

37.4mm/1.47in

# NCV induced voltage

Place the top of the multimeter close to the AC voltage, the stronger the voltage, the faster the beeping sound






# Big screen Backlit display

The display is clear, long press the "H/☀" key for more than 2 seconds to turn on or off the backlight





### DC voltage



In this case, the voltage is 9V

### AC voltage



Household voltage is generally greater than 220V

### Resistance



The value can be measured as shown in the figure

### Buzzer detection



The pen touches both ends to measure and beep



### Zero line detection



Switch to NCV gear, the zero line displays "EF" without beeping

### Firewire detection



Switch to NCV gear, the live wire displays "—" and beeps

### DC current



The current of the fan operation can be measured

### AC current



Can measure the current working of the current bulb

# PRODUCT CONFIGURATION

Color box / Manual / Multimeter / Test pen

