

## **ANENG SZ301/ SZ302 Digital Multimeter**

- Is Smart Device: no
- DC Current: 600V
- AC Current: Multimeter Digital
- DC Voltage: 10A
- AC Voltage: 600V
- Operating Mode: Automatic mode
- Measuring Capacitance Range: Multimeter Digital
- Measuring Resistance Range: 0-200 M Ohm
- Model Number: SZ301 SZ302 Digital Multimeter
- Dimensions: 19.50cm\*9.90cm\*4.80cm
- Operating Temperature: 0 – 50 °C
- Measuring Inductance Range: 0nF-2MF
- Display Type: Digital display
- DIY Supplies: ELECTRICAL
- Origin: Mainland China
- Certification: CE

### **Features:**

1. Multi-purpose machine with complete functions
2. NCV measures the voltage in the air, built-in sensor, when the nearby AC voltage is detected, the LED flashes and an alarm buzzer sounds to prevent the danger of electric shock
3. The support frame stores the pen, the drop-proof and shock-resistant intimate pen storage slot, and the 90-degree design of the back bracket makes the measurement handy
4. Automatic shutdown without operation, if the multimeter is not used within 15 minutes, it will automatically shutdown, saving power and worry!
5. Long press HOLD to turn on the LCD bright screen, you can see the screen value clearly in the dark environment, the flashlight lighting illuminates the front for you, assisting night work

### **Product parameters:**

- Optional models: [SZ301/ SZ302](#)
- DC voltage: 200mV~600V



# Product Accessories

Instruction Manual / Multimeter / Test Leads



# Product Accessories

Instruction Manual / Multimeter / Test Leads



# Product Accessories

Instruction Manual / Multimeter / Test Leads



Function / model	SZ301	SZ302
DC voltage	200mV~600V	200mV~600V
AC voltage	0V~600V	0V~600V
resistance	0Ω~200MΩ	0Ω~200MΩ
capacitance	0nF~2000μF	0nF~2000μF
DC	2mA~10.00A	2mA~10.00A
Alternating current	2mA~10.00A	2mA~10.00A
diode	✓	✓
flashlight	✗	✓
Backlight bright screen	✗	✓
On and off beep	✓	✓
data retention	✓	✓
Automatic shut-down	✓	✓
BAT1.5V	✓	✓
BAT 9V/12V	✓	✗
NCV non-contact sensing	✗	✓
Pen material	PVC/Brass	PVC/Brass
Battery	No. 5 AA battery*2	No. 5 AA battery*2
max count	2000 counts	2000 counts

The above parameters are for reference only, the actual measurement of the specific equipment shall prevail!