

ANENG®

SMART INDUCTION PEN

High and low sensitive switching



Zero line
recognition



Non-contact
measurement



Flashlight
lighting



Sound and
light alarm



Sensitivity
adjustment




PROBLEMS WITH

Contactless

PROBLEMS WITH NON-SMART TEST PENCILS

ANENG




Contact detection is not safe

There is no safe distance, easy to get an electric shock



Ordinary tester is not sensitive

Insensitive detection, prone to safety hazards



No flashlight function

The dark light detection circuit requires a flashlight



Cannot detect lines in the wall

Line fault in the wall, the wall can only be demolished if it is not detected

LINE BREAK DETECTION EASY TO USE



ANENG

When the detection indicator light does not light up along the line of the tester, the buzzer stops and it is the breakpoint position



NON CONTACT PARTITION WALL INSPECTION

Contactless

ANENG

Non-contact safer, insulated operation, quick search, cable detection is no

need to worry, circuit distribution is clear



FLASHLIGHT LIGHTING FEARLESS OF DARKNESS



Flashlight
lighting

ANENG

The illuminator can assist the measurement work at night, no longer be afraid of the invisible measurement position, and eliminate the risk of electric shock





MULTI-FUNCTION ZERO LINE RECOGNITION

Contactless

ANENG

Firewire: it will beep quickly when inserted, and the pen tip will flash red
Neutral line: there is no buzzer when inserted, and the pen tip will not flicker

FireWire

Zero line



AC VOLTAGE SENSING

ANENG

When a nearby AC voltage is sensed, a rapid beep will sound and the sensor head will flash red



BATTERY INSTALLATION AAA BATTERY

ANENG

Open the battery cover and insert
2 AAA1.5V batteries to use





2 AAA
batteries

1

Press the position of
the black square block



2

While holding down, push
the pen cover up to install
2 AAA batteries



SENSITIVITY SWITCH HIGH AND LOW SELECTION

Contactless

ANENG

The default is low sensitivity mode when power on, press "S" key to adjust, green is low sensitivity, yellow is high sensitivity



Low
sensitivity

Boot
default mode



High sensitivity
Press to switch successfully

YOU WILL FIND OUT THE DETAILS

01
Features



...

Smart sensor pen

High-strength transparent protective cover, high protection level, durable

Humanized pen holder

Can be inserted and hung on clothes at any time, convenient to carry and work more convenient



02
Features

03
Features




...

HD LCD screen

Comes with bright screen backlight, with signal indicator bar display

☰  ☰

PRODUCT TECHNICAL SPECIFICATIONS



AC voltage detection range	<u>About 12 to 1000V (50/60Hz)</u>
Alarm mode	<u>LED screen signal display/buzzer</u>
Sensitivity adjustment	<u>Adjustable high and low sensitivity</u>
Security Level	<u>CE CAT. -1000V/CATIV-600V</u>
Product color	<u>Black</u>
Product weight	<u>31.3g</u>
Use battery model	<u>AAA 1.5V battery *2</u>
Automatic shut-down	<u>Automatic shutdown after 5 minutes</u>