

LUXIANZI 220V Tabletop Solder iron Smoke Absorber

With LED Light ESD Fume Extractor Filter Screen Smoking Instrument

Product Information:

- Type: Desktop smoking device
- Use distance: > 15cm (best)
- Voltage: AC100-240V 50/60Hz
- Size: 195*210*65mm
- color: black/white

Features:

- With 3 LED lights, retractable smoking tube.
- Strong smoking, activated carbon filter Screen, ball bearing, speed Fast, low noise.
- Bold power cord , long life, Not easy to age.

Plug Type: EU/US/UA/UK

If you choose EU plug, the order will send EU-F plug by default.

If you need EU-C plug, you can contact us.

[Smoke X Purifier]

Desktop smoking device

Absorb toxic fumes from welding





High suction
exhaust



HEPA dust
collection filter



Rapid
purification



Sleep level
mute



High Power
Oil Bearings



Two modes

Flexible bending

Adjust the length and direction of the smoke pipe according to the needs



Variable models Two ways of use

It can be applied to small-scale smoke and dust treatment in various fields





Retractable smoking pipe with LED light

Carry 3 LED lights, thoughtful design, comfortable
and efficient work



Small size and small space ratio

Small size and enough space to work comfortably



HEPA dust filter

Dense mesh filtration, rapid purification



Inner loop filtration to purify smoke lies in the "core"

Adopting internal circulation purification, one-piece body, flexible and fast



PRODUCT PARAMETER

PRODUCT PARAMETER



Product name:	Desktop smoking device
Voltage:	60W
Work rate:	AC100~240V 50/60Hz
Features:	Low noise, fast speed, strong absorption reducing PM2.5 by 96.41%
Particle diameter:	0.1~0.3 μm 、 0.3~0.5 μm 、 0.5~1.0 μm 、 1.0~3.0 μm 、 3.0~5.0 μm 、 5.0~10 μm
Collection efficiency:	66.26%、 74.42%、 79.07%、 96.41%、 98.63%、 100%

Two options

Two models, two colors



PRODUCT DETAILS

PRODUCT DETAILS




Inner loop filtration

Adopting internal circulation purification, one-piece body, flexible and fast

Vents

Multi-faceted cooling holes for fast heat dissipation Do not get hot even after working long hours



LED lights


Built-in LED lamp bead indicator, making work more convenient

Power cable

Plug in the power cord to work anytime, anywhere







How to remove and place activated carbon filters



1. Open the filter protection cover



2. Put in the activated carbon filter



3. Put in the dust collection filter



4. Close the filter guard





无杂质
易上锡
LXZ920181
HIGH PURITY WELDING ISCS
松香
度焊接松香

